



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Report of alien passengers arriving during the week ended August 29, 1903, at the six subports of Porto Rico.

Date of arrival.	Name of vessel.	Where from.	Number of immigrants.
	MAYAGUEZ.		
Aug. 27	Spanish steamship Juan Forgas.....	Barcelona, Palma de Mallorca, Valencia, Alicante, Malaga, Cadiz, Las Palmas, Tenerife, La Palma.	1

At the subports of Arecibo, Humacao, Aguadilla, Arroyo, and Fajardo, there were no transactions.

VENEZUELA.

General diffusion of smallpox.

Consul Ellsworth at Puerto Cabello reports, August 17, as follows: Smallpox has made its appearance in Maturin. The disease has passed, with fatality, over nearly the whole of the Republic, with the movement of the troops in the campaign.

Foreign and insular statistical reports of countries and cities—Yearly and monthly.

BRAZIL—Pernambuco.—Two weeks ended June 30, 1903. Estimated population, 200,000. Total number of deaths, 262, including smallpox 2, yellow fever 1, and 45 from phthisis pulmonalis.

Two weeks ended July 15, 1903. Total number of deaths, 240, including smallpox 6, and 37 from phthisis pulmonalis.

DUTCH GUIANA—Paramaribo.—Month of July, 1903. Estimated population, 32,263. Total number of deaths, 94. No contagious diseases reported.

GIBRALTAR.—Two weeks ended August 9, 1903. Estimated population, 27,460. Total number of deaths, 12. No deaths from contagious diseases reported.

GREAT BRITAIN—England and Wales.—The deaths registered in 76 great towns in England and Wales during the week ended August 15, 1903, correspond to an annual rate of 15.7 per 1,000 of the aggregate population, which is estimated at 15,075,011.

London.—One thousand two hundred and fifty-five deaths were registered during the week, including measles 24, scarlet fever 8, diphtheria 11, whooping cough 15, enteric fever 4, and diarrhea 139. The deaths from all causes correspond to an annual rate of 14.2 per 1,000. In Greater London 1,682 deaths were registered. In the "outer ring" the deaths included 4 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended August 15, 1903, in the 21 principal town districts of Ireland was 16.6 per 1,000 of the population, which is estimated at 1,093,289. The lowest rate was recorded in Clonmel

and Sligo, viz, 0.0, and the highest in Galway, viz, 35.0 per 1,000. In Dublin and suburbs 136 deaths were registered, including enteric fever 2, diphtheria 1, measles 1, whooping cough 1, and 30 from tuberculosis.

Scotland.—The deaths registered in 8 principal towns during the week ended August 15, 1903, correspond to an annual rate of 15.4 per 1,000 of the population, which is estimated at 1,702,912. The lowest mortality was recorded in Edinburgh, viz, 12.2, and the highest in Greenock, viz, 18.8 per 1,000. The aggregate number of deaths registered from all causes was 505, including diphtheria 1, measles 5, scarlet fever 3, and 12 from whooping cough.

JAMAICA—Kingston.—Month of July, 1903. Estimated population, 46,542. Total number of deaths, 122, including whooping cough 1, and 16 from phthisis pulmonalis.

JAPAN—Nagasaki.—Ten days ended July 31, 1903. Estimated population, 148,883. Total number of deaths not reported. No deaths from contagious diseases reported.

JAVA—Batavia.—Two weeks ended July 4 and July 18, 1903. Estimated population, 150,000. Number of deaths not reported. No contagious diseases.

MEXICO—Monterey.—Period from April 1 to August 12, 1903. Estimated population, 25,000. Total number of deaths, 1,322, including enteric fever 14, measles 45, whooping cough 23, and 110 from tuberculosis.

PHILIPPINE ISLANDS—Manila.—Month of April, 1903. Estimated population, 302,154. Total number of deaths, 549, including enteric fever 9, whooping cough 1, smallpox 1, cholera 27, plague 47, and 84 from tuberculosis.

ST. HELENA.—Six weeks ended July 31, 1903. Estimated population 4,000, including soldiers and sailors. Total number of deaths 10, including 1 from tuberculosis.

SWITZERLAND.—Reports for the two weeks ended August 8, 1903, from 18 cities and towns having an aggregate population of 790,000, show a total of 406 deaths, including 1 from measles, 2 from scarlet fever, 1 from diphtheria, 2 from whooping cough, 1 from enteric fever, and 63 from tuberculosis.